

You can rely on our standards of quality and service

SK-I Fastener

is a reputation of in-depth technical knowledge, manufacturing expertise and a business philosophy based on principles of quailty and service ensure a full understanding of customer requirements.

SK-I Fastener

experience to face

A TOTAL COMMITMENT TO QUALITY

The fasteners are manufactured to satisfy the requirements of the most hostile environments such as aqueous and dry corrosion, extremes of temperature and high levels of stress. Such conditions demand absolute quality.

Concern with quality begins with the careful selection of mill certified materials and extends throughout the entire manufacturing process ensuring that products are released to their relevant British, European or American Standards.

Mill certificates, Chemical Analysis and Mechanical tests witnessed by independent inspectorates can be provided on all components as required. All processes are undertaken and controlled to quality standard.

MANUFACTURING RANGE


Forged and machined bolts in most head forms including Hexagon, Square, Cup Square, Countersunk and Socket. Indented Foundation Bolts, Studbolts and Allthread Studding, Engineers Studs, Socket Capscrews. Nuts, all types and specifications, including Hexagonal, Lock, Self Locking and Special Nylocs. We also have in house thread rolling facilities. Washers in all forms to customers' specificiations.

SIZE RANGE

Our extensive production facility enables us to control in-house manufacturing operations from sizing of the material to final inspection in diameters from M3 to M150 and lengths of up to 4 metres.

A SERVICE YOU CAN COUNT ON WORLD-WIDE

We have a full understanding of all our customers' requirements and realise that next to quality, speed of delivery is of paramount importance. Our organisation is geared to providing the fastest possible service utilising our 24 hour manufacturing operation culminating in overnight delivery or air freight to suit customers' most demanding delivery requirements.





of the future

MATERIAL VALUES


SK-I only provide with high quality materials, we believe this is the only way to guarantee the absolute quality of our fasteners. Our extensive stocks of fully certified materials enable us to respond rapidly to customer demands and manufacture a wide range of quality products.

Our range of fully certified materials include the following:

Stainless Steels	Stainless Steels	Duplex Stainless Steels	Nickel Alloys	Copper Alloys	Other Materials
A2-50 70 80	UNS S31254	UNS S31803	Hastelloy*		Titanium
	254SMO*	(W1.4462)	B2 C4		GR2 GR5
44-50 70 80			C22 C276		GR7
	904L	SS234	G G3 X	DGS1043	
B8/L8 (304/L)	(W1.4539)	(W1.4460)		DGS1044	Aluminium
			Incoloy*	NES833	Alloys
B8X/L8X/B8C12	Carpenter	UNS S32550	800 800HT	NES834	
	20CB3*	(Ferralium*)	825 DS		Alloy Steels
B8T (321)			RA330*	Phosphor	B7 B16
	Nitronic 50*	UNS S32750		Bronze PB102	
B8TX/L8TX/	B8R	(SAF 2507*)	Inconel*		Durehete*
B8TC12			600 601 625	Cupro Nickels	900 950 1055
	Nitronic 60*	UNS S32760	718	70/30 90/10	
B8M/L8M	B8S	(Zeron 100*			
(316/L)		SA, FG, FLT)	Monel 400*	NES 835	
	17-4 PH*			(Hiduron 191*)	
B8MX/L8MX/		Duplex and	Monel K500*		
B8MC12	FV-520B*	Super Duplex		Nibron Special*	
		also available in	Nimonic*		
316Ti	A453 660 A/B	Class 80	75 80A 90	Marinel*	
25/20 (310)	Sanicro 28*				
B8C (347)	1.4923				
EN56 B6(410)	SS2387 (248SV*)				
EN57 C3-80	SS2368 (253MA*)				

SK-I Fastener

Stainless Steel Grade: A2-50 A2-60 A2-70 / A4-50 A4-60 A4-70 A4-80



A2(TP 304) A4 (TP316)

Material Standard: ISO 3506 Part 2: 1997

Specification : DIN 931

d(diameter)	M6	M8	M10	M12	M16	M20	M24	M27	M30	M33	M36
Thread Pitch/mm	1	1.25	1.5	1.75	2	2.5	3	3	3.5	3.5	4
b (L ≤125) / mm	18	22	26	30	38	46	54	60	66	72	78
b (125 < L ≤200) / mm	24	28	32	36	44	52	60	66	72	78	84
b (L > 200) / mm	+ 6	-	45	49	57	65	73	79	85	91	97
k (head height) / mm	4	5.3	6.4	7.5	10	12.5	15	17	18.7	21	22.5
s (head width) / mm	10	13	17	19	24	30	36	41	46	50	55


SK-I Fastener

SK-I Fastener

Hexagonal Nut

Stainless Steel Grade: A2-50 A2-60 A2-70 / A4-50 A4-60 A4-70 A4-80





A2 (TP304) A4 (TP316)


Material Standard: ISO 3506 Part 2:1997

Specification : DIN 934

d(diameter)	М3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30	M33	M36
Thread Pitch/mm	0.5	0.7	0.8	1	1.25	1.5	1.75	2	2.5	3	3	3.5	3.5	4
m (thickness) / mm	2.4	3.2	4	5	6.5	8	10	13	16	19	22	24	26	29
s (width) / mm	5.5	7	8	10	13	17	19	24	30	36	41	46	50	55

SK-I Fastener Flat Washer

Stainless Steel Grade: A2-50 A2-60 A2-70 / A4-50 A4-60 A4-70 A4-80




A2 (TP304) A4 (TP316)

Material Standard: BS 6105: 1981 Specification: DIN 125A

Form A Diameter	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30	M33	M36
d1 (max. inside diameter) / mm	5.5	6.7	8.7	10.9	13.4	17.4	21.5	25.5	28.5	31.6	34.6	37.6
d1 (min. inside diameter) / mm	5.3	6.4	8.4	10.5	13.0	17.0	21.0	25	28.0	31.0	34.0	37.0
d2 (max. outside diameter) / mm	10.0	12.5	17.0	21.0	24.0	30.0	37.0	44	50.0	56.0	60.0	66.0
d2 (min. outside diameter) / mm	9.7	12.1	16.6	20.5	23.5	29.5	36.2	43.2	49.2	55.0	59.0	65.0
s (max. thickness) / mm	1,1	1.8	1.8	2.2	2.7	3.3	3.3	4.3	4.3	4.3	5.6	5.6
s (min. thickness) / mm	0.9	1.4	1.4	1.8	2.3	2.7	2.7	3.7	3.7	3.7	4.4	4.4

SK-I Fastener Spring Washer

Stainless Steel Grade: A2-50 A2-60 A2-70 / A4-50 A4-60 A4-70 A4-80



A2 (TP304) A4 (TP316)

Material Standard: BS 6105: 1981 Specification: DIN 127B

Diameter	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30	M33	M36
d1 (inside diameter) / mm	3.1	4.1	5.1	6.1	8.1	10.2	12.2	16.2	20.2	24.5	27.5	30.5	33.5	36.5
d1 (outside diameter) / mm	6.2	7.6	9.2	11.8	14.8	18.1	21.1	27.4	33.6	40.0	43.0	48.2	55.2	58.2
s (thickness)./ mm	0.8	0.9	1.2	1.6	2.0	2.2	2.5	3.5	4.0	5.0	5.0	6.0	6.0	6.0



BUN KEE (INT'L) LIMITED 彬記(國際)有限公司 唯實形記集團百限公司之全資附屬機構一香港聯合交易所會員

Head Office

12/F., Phase 1, Austin Tower, 22-26 Austin Avenue, T.S.T. Kowloon, Hong Kong

Tel : (852) 2728 7237 Fax : (852) 2387 2999 E-mail : info@bunkee.com

Warehouse

Sections M and N of Lot no. 3719 in DD104, YuenLong, New Territories

Tel : (852) 2471 9048 Fax : (852) 2482 1298

Retail Shops

Mongkok

G/F., 618 Shanghai Street, Mongkok, Kowloon

Tel : (852) 2395 0181 Fax : (852) 2787 3421

Yuen Long

G/F., No.30 Hop Yick Road, Yuen Long, N.T.

Tel : (852) 2473 3660 Fax : (852) 2442 2766

Wanchai

Shop A, G/F., No. 7-11 Tai Wong Street East, Wanchai, Hong Kong

Tel : (852) 2866 6001 Fax : (852) 2866 6339