

KEY

Pipe Support

承造各類喉碼:

- 銅喉碼
- 鉛水喉碼
- 去水喉碼
- 咸水喉碼
- 排喉碼
- 角鐵碼
- 品字碼
- 生鐵坳頭/尾喉碼
- 球墨鑄鐵坳頭喉碼

物料包括:


- 熱浸鉛水
- 電鉛水
- 不銹鋼 SS 304
- 不銹鋼 SS 316
- 鑄銅



彬記(國際)有限公司

BUN KEE (INTERNATIONAL) LIMITED


OFF. ADD. : 12/F, PHASE 1, AUSTIN TOWER,
22-26 AUSTIN AVENUE, TSIM SHA TSUI,
KOWLOON, HONG KONG.
TEL. : (852) 2728 7237 (16 LINES) FAX: (852) 2387 2999
SHOP : 1) G/F., 618 SHANGHAI STREET, KOWLOON.
2) G/F., 30 HOP YICK ROAD, YUEN LONG.
3) SHOP A, G/F., 7-11 TAI WONG ST., EAST, WAN CHAI.
GODOWN : LOT 3719 IN DD 104, YUEN LONG, N.T.
E-MAIL : sales@bunkeointl.com.hk



STAINLESS STEEL BRACKET WITH EDGE FOR COPPER PIPE & S.S. PIPE

不銹鋼包白膠邊喉碼(SS304/SS316)

適合冷水、熱水或光身銅喉及不銹鋼喉
(BSEN1057 & BSEN10312/BSEN10217-7)




尺寸 Size	喉種外徑 Pipe O.D.	碼圈尺寸 闊度(W)x 厚度(T)	碼尾尺寸 尾粗 x 尾長	碼圈螺絲 粗度 x 長度
1/2" (15mm)	22mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 16
3/4" (20mm)	26mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 16
1" (25mm)	32mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 20
1-1/4"(32mm)	38mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 20
1-1/2"(40mm)	48mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
2" (50mm)	60mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
2-1/2"(65mm)	76mm	1/2" x 1/8"	3/8" x 4"	M6 x 20
3" (80mm)	89mm	3/4" x 1/8"	3/8" x 4"	M6 x 20
4" (100mm)	114mm	3/4" x 1/8"	1/2" x 4"	M6 x 20
6" (150mm)	165mm	3/4" x 1/8"	1/2" x 4"	M6 x 25

STAINLESS STEEL BRACKET FOR GALVANIZED IRON PIPE

不銹鋼喉碼(SS304/SS316)

適合鉛水喉(BS1387)




尺寸 Size	喉種外徑 Pipe O.D.	碼圈尺寸 闊度(W)x 厚度(T)	碼尾尺寸 尾粗 x 尾長	碼圈螺絲 粗度 x 長度
1-1/4"(32mm)	43mm	1/2" x 1/8"	1/2" x 4"	M5 x 20
1-1/2"(40mm)	49mm	1/2" x 1/8"	1/2" x 4"	M5 x 20
2" (50mm)	61mm	5/8" x 1/8"	1/2" x 4"	M6 x 20
2-1/2"(65mm)	76mm	5/8" x 1/8"	1/2" x 4"	M6 x 20
3" (80mm)	89mm	5/8" x 1/8"	1/2" x 4"	M6 x 20
4" (100mm)	114mm	3/4" x 1/8"	1/2" x 4"	M6 x 25
6" (150mm)	165mm	3/4" x 1/8"	1/2" x 4"	M6 x 25

All dimension for reference only and could be changed according to the specific requirement.
(規格僅供參考及可根據要求作出修改)

STAINLESS STEEL T-SHAPE ANGLE BRACKET FOR GALVANIZED IRON PIPE

不銹鋼角鐵喉碼(SS304/SS316)

適合鉛水喉(BS1387)




尺寸 Size	喉種外徑 Pipe O.D.	碼圈尺寸 闊度(W)x 厚度(T)	角鐵尺寸 闊度(W)x 厚度(T)	碼圈螺絲 粗度 x 長度
1-1/4"(32mm)	43mm	1/2" x 1/8"	1-1/4" x 3/16"	M5 x 20
1-1/2"(40mm)	49mm	1/2" x 1/8"	1-1/4" x 3/16"	M5 x 20
2" (50mm)	61mm	5/8" x 1/8"	1-1/4" x 3/16"	M6 x 20
2-1/2"(65mm)	76mm	5/8" x 1/8"	1-1/4" x 3/16"	M6 x 20
3" (80mm)	89mm	5/8" x 1/8"	1-1/4" x 3/16"	M6 x 20
4" (100mm)	114mm	3/4" x 1/8"	1-1/4" x 3/16"	M6 x 25
6" (150mm)	165mm	3/4" x 1/8"	1-1/4" x 3/16"	M6 x 25

STAINLESS STEEL BRACKET WITH WHITE EDGE FOR DRAIN WATER UPVC PIPE

不銹鋼包白膠邊喉碼(SS304/SS316)

適合去水膠喉(BS5255 & 4514)




尺寸 Size	喉種外徑 Pipe O.D.	碼圈尺寸 闊度(W)x 厚度(T)	角鐵尺寸 尾粗 x 尾長	碼圈螺絲 粗度 x 長度
1-1/4"(32mm)	37mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
1-1/2"(40mm)	43mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
2" (50mm)	56mm	1/2" x 1/8"	3/8" x 4"	M6 x 20
2-1/2"(65mm)	69mm	1/2" x 1/8"	3/8" x 4"	M6 x 20
3" (80mm)	83mm	5/8" x 1/8"	3/8" x 4"	M6 x 20
4" (100mm)	110mm	3/4" x 1/8"	1/2" x 4"	M6 x 25
6" (150mm)	160mm	3/4" x 1/8"	1/2" x 4"	M6 x 25

All dimension for reference only and could be changed according to the specific requirement.
(規格僅供參考及可根據要求作出修改)

STAINLESS STEEL BRACKET WITH GRYE EDGE FOR
GREY UPVC PRESSURE PIPE


不銹鋼包灰膠邊喉碼(SS304/SS316)
適合灰膠壓力喉(JIS K6741 & JIS K6742)



尺寸 Size	喉種外徑 Pipe O.D.	碼圈尺寸 闊度(W)x 厚度(T)	碼尾尺寸 尾粗 x 尾長	碼圈螺絲 粗度 x 長度
1/2" (16mm)	22mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 16
3/4" (20mm)	26mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 16
1" (25mm)	32mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 20
1-1/4"(30mm)	38mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
1-1/2"(40mm)	48mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
2" (50mm)	60mm	5/8" x 1/8"	3/8" x 4"	M5 x 20
2-1/2"(65mm)	76mm	5/8" x 1/8"	1/2" x 5"	M6 x 20
3" (75mm)	89mm	3/4" x 1/8"	1/2" x 5"	M6 x 20
4" (100mm)	114mm	3/4" x 1/8"	1/2" x 5"	M6 x 20
6" (150mm)	165mm	3/4" x 1/8"	1/2" x 5"	M6 x 25
8" (200mm)	216mm	3/4" x 1/8"	1/2" x 5"	M6 x 25

STAINLESS STEEL BRACKET WITH WHITE EDGE FOR
WHITE UPVC PRESSURE PIPE

不銹鋼包白膠邊喉碼(SS304/SS316)
適合白膠壓力喉(BS3505)



尺寸 Size	喉種外徑 Pipe O.D.	碼圈尺寸 闊度(W)x 厚度(T)	碼尾尺寸 尾粗 x 尾長	碼圈螺絲 粗度 x 長度
1/2" (16mm)	22mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 16
3/4" (20mm)	27mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 16
1" (25mm)	34mm	1/2" x 1/8"	3/8" x 3-1/2"	M5 x 20
1-1/4"(30mm)	42mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
1-1/2"(40mm)	48mm	1/2" x 1/8"	3/8" x 4"	M5 x 20
2" (50mm)	60mm	5/8" x 1/8"	3/8" x 4"	M5 x 20
2-1/2"(65mm)	75mm	5/8" x 1/8"	3/8" x 5"	M6 x 20
3" (75mm)	89mm	3/4" x 1/8"	3/8" x 5"	M6 x 20
4" (100mm)	114mm	3/4" x 1/8"	1/2" x 5"	M6 x 20
6" (150mm)	168mm	3/4" x 1/8"	1/2" x 5"	M6 x 25
8" (200mm)	216mm	3/4" x 1/8"	1/2" x 5"	M6 x 25

All dimension for reference only and could be changed according to the specific requirement.
(規格僅供參考及可根據要求作出修改)